## Apollo D Wire

 Version:
 1.6 / GB

 Revision date:
 27.09.2017

 Issue date:
 03.09.2013

 replaces version:
 1.5

 Page:
 1 / 8

 Material no.
 5317130133

 Specification
 165329

 VA-Nr
 01775659



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name Apollo D Wire

REACH Registration No.: if available listed in Chapter. 3

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

## 1.3. Details of the supplier of the safety data sheet

Company DeguDent GmbH

Postfach 1364 D-63403 Hanau

Telephone +49 (0)6181/59-5767 Telefax +49 (0)6181/59-5879

Email address SDB.Degudent-DE@dentsplysirona.com

#### 1.4. Emergency telephone number

Emergency information +49 (0)6181/59-50 (This telephone number is available during office

hours only.)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not a hazardous mixture according to Regulation (EC) No 1272/2008.

## 2.2. Label elements

## Labelling as per (EU) 1272/2008

Statutory basis Labelling not required according to EU-CLP Ordinance (1272/2008).

#### 2.3. Other hazards

Zinc oxide fumes is released during processing

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

#### 3.2. Mixtures

Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

• Gold	61.3%		
CAS-No.	7440-57-5	EC-No.	231-165-9
• platinum	12.8%		

## **Apollo D Wire**

 Version:
 1.6 / GB

 Revision date:
 27.09.2017

 Issue date:
 03.09.2013

 replaces version:
 1.5

 Page:
 2 / 8

 Material no.
 5317130133

 Specification
 165329

 VA-Nr
 01775659



CAS-No.	7440-06-4	EC-No.	231-116-1		
• silver	16.3%				
CAS-No.	7440-22-4	EC-No.	231-131-3		
• copper	9.1%				
CAS-No.	7440-50-8	EC-No.	231-159-6		
• Palladium< 1.0%					
CAS-No.	7440-05-3	EC-No.	231-115-6		
• zinc	< 1.0%				
CAS-No.	7440-66-6	EC-No.	231-175-3		
• Tin	< 1.0%				
CAS-No.	7440-31-5	EC-No.	231-141-8		
• Iridium	< 1.0%				
CAS-No.	7439-88-5	EC-No.	231-095-9		

Texts of H phrases, see in Chapter 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### Inhalation

Dusts and vapours:

Remove to fresh air.

## Eye contact

Dusts and vapours:

Rinse thoroughly with plenty of water keeping eyelid open.

Consult an eye doctor (ophthalmologist).

## 4.2. Most important symptoms and effects, both acute and delayed

#### **Symptoms**

None known

## Hazards

None known

## 4.3. Indication of any immediate medical attention and special treatment needed

None known

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: Special powder against metal fire

quenching powder

dry sand common salt

Unsuitable extinguishing media: Water

Carbon dioxide (CO2)

## 5.2. Special hazards arising from the substance or mixture

None known.

## 5.3. Advice for firefighters

Extinction measures are to be adjusted to the specific location.

The product itself does not burn.

Employ protective equipment commonly used in the event of fire.

**Apollo D Wire** 

 Version:
 1.6 / GB

 Revision date:
 27.09.2017

 Issue date:
 03.09.2013

 replaces version:
 1.5

 Page:
 3 / 8

 Material no.
 5317130133

 Specification
 165329

 VA-Nr
 01775659



#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

No special measures are required.

#### 6.2. Environmental precautions

No special environmental precautions required.

## 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

## 6.4. Reference to other sections

Wear personal protective equipment; see section 8. Disposal considerations; see section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

In case of melting, soldering or grinding:

Dusts and vapors: Do not inhale.

Local ventilation.

No special measures are necessary if properly handled. In case of dust or vapor: Wear personal safety equipment

## 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

No special storage conditions required.

## German storage class

13 - Non Combustible Solids

#### 7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

• platinum			
CAS-No. Control parameters	7440-06-4 5 mg/m3	EC-No.	231-116-1 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	1 mg/m3 Indicative		Time Weighted Average (TWA):(EU ELV)
• silver			
CAS-No. Control parameters	7440-22-4 0.1 mg/m3	EC-No.	231-131-3 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	0.1 mg/m3 Indicative		Time Weighted Average (TWA):(EU ELV)
• copper			
CAS-No. Control parameters type of exposure	7440-50-8 1 mg/m3 Inhalable dusts and mists.	EC-No.	231-159-6 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	2 mg/m3		Short Term Exposure Limit (STEL):(EH40 WEL)
type of exposure	Inhalable dusts and mists.		,
Control parameters type of exposure	0.2 mg/m3 Fume.		Time Weighted Average (TWA):(EH40 WEL)

## **Apollo D Wire**

 Version:
 1.6 / GB

 Revision date:
 27.09.2017

 Issue date:
 03.09.2013

 replaces version:
 1.5

 Page:
 4 / 8

 Material no.
 5317130133

 Specification
 165329

 VA-Nr
 01775659



• Tin

CAS-No. 7440-31-5 EC-No. 231-141-8

Control parameters 2 mg/m3 Time Weighted Average (TWA):(EU ELV)

Indicative

## 8.2. Exposure controls

## **Engineering measures**

Zinc oxide fumes is released during processing, In case of melting, soldering or grinding:, Adequate exhaustion / ventilation of the work site or machinery must be assured. Vacuuming of objects.

## Personal protective equipment

#### Respiratory protection

If workplace exposure limit is exceeded apply Dust mask with P2 particle filter.

#### **Hand protection**

No special protective equipment required.

## Eye/face protection

Safety glasses with side-shields

## Skin and body protection

No particular measures required.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice., Do not eat, drink, smoke, or sniff while at work. Wash your hands and/or face before breaks and before termination of work., Do not inhale smoke, dust, vapor.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Form solid Colour yellow
Odour odourless

Odour threshold: not applicable

pH not applicable

(solid)

Melting point/range 930 - 1035 °C

Boiling point/range not applicable

(solid)

Flash point not applicable

Evaporation rate not applicable

Flammability (solid, gas) not flammable

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure not applicable

Density 15.3 g/cm3

Apollo D Wire

Version: 1.6 / GB Revision date: 27.09.2017 Issue date: 03.09.2013 replaces version: 1.5 5/8 Page:

Material no. 5317130133 Specification 165329 01775659 VA-Nr



Water solubility insoluble

Partition coefficient: n-

not applicable

octanol/water

Autoinflammability Not capable of spontaneous combustion or heating.

Thermal decomposition not applicable

Viscosity, dynamic not applicable

Explosiveness not applicable

Oxidizing properties not oxidizing

9.2. Other information

> Other information No further physicochemical data were determined.

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

no data available

#### 10.2. Chemical stability

The product is chemically stable.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No dangerous reactions known.

## 10.4. Conditions to avoid

No limitations

## 10.5. Incompatible materials

None known

## 10.6. Hazardous decomposition products

Decomposition products occurring when heated above melting temperature metallic vapors

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute oral toxicity no data available

Acute inhalation toxicity no data available

Acute dermal toxicity no data available

Skin irritation no data available

Eye irritation no data available

Sensitization no data available

Repeated dose toxicity no data available

Mutagenicity assessment no data available

**Apollo D Wire** 

 Version:
 1.6 / GB

 Revision date:
 27.09.2017

 Issue date:
 03.09.2013

 replaces version:
 1.5

 Page:
 6 / 8

 Material no.
 5317130133

 Specification
 165329

 VA-Nr
 01775659



Carcinogenicity No data available

Toxicity to reproduction No data available

Further information No hazardous reactions are known if properly handled and stored.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No ecotoxicological data is available for this product.

## 12.2. Persistence and degradability

Biodegradability no data available

#### 12.3. Bioaccumulative potential

Bioaccumulation no data available

## 12.4. Mobility in soil

Mobility The product is insoluble in water.

No further information available

#### 12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

## 12.6. Other adverse effects

Further Information Dusts and water-soluble forms of the alloy:, Introduction into soil, natural

water bodies or sewerage must be prevented.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Product**

Can be used after re-conditioning.

## **SECTION 14: Transport information**

## Not dangerous according to transport regulations.

14.1. UN number: -14.2. UN proper shipping name: -14.3. Transport hazard class(es): -14.4. Packing group: -14.5. Environmental hazards: -14.6 Special precautions for user: No

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

**Apollo D Wire** 

 Version:
 1.6 / GB

 Revision date:
 27.09.2017

 Issue date:
 03.09.2013

 replaces version:
 1.5

 Page:
 7 / 8

 Material no.
 5317130133

 Specification
 165329

 VA-Nr
 01775659



#### 15.2. Chemical safety assessment

Chemical safety assessment No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH

Regulatione is required for this product.

#### **SECTION 16: Other information**

Classification and applied procedure to derive the classification of mixtures according to EU Regulation (EC) No. 1272/2008 (CLP)

#### **Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

**ASTM** American Society for Testing and Materials

ATP Adaptation to Technical Progress

**BCF** Bioconcentration factor

**BetrSichV** German Ordinance on Industrial Safety and Health

c.c. closed cup

CAS Chemical Abstract Services

**CESIO** European Committee of Organic Surfactants and their Intermediates

ChemG German Chemicals Act

**CMR** carcinogenic-mutagenic-toxic for reproduction

**DIN** German Institute for Standardization **DMEL** Derived minimum effect level

**DNEL** Derived no effect level

**EINECS** European Inventory of Existing Commercial Chemical Substances

EC50 half maximal effective concentration

**GefStoffV** German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous

aoods

**GGVSee** German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 ISO International Organization For Standardization

**LOAEL** Lowest observed adverse effect level

LOELLowest observed effect levelNOAELNo observed adverse effect levelNOECno observed effect concentration

NOEL no observed effect level

o. c. open cup

**Apollo D Wire** 

Material no. Version: 1.6 / GB 5317130133 Revision date: 27.09.2017 Specification 165329 03.09.2013 Issue date: VA-Nr 01775659 replaces version: 1.5 8/8 Page:



OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

**REACH** REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity
SVHC Substances of Very High Concern

TA Technical Instructions

**TPR** Third Party Representative (Art. 4)

TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

**VOC** volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to

Waters into Water Hazard Classes

WGK Water Hazard Class
WHO World Health Organization